PRH-P-MYA Heat Pump

R407c Packaged Rooftop System

The rooftop cooling and heating system combines the economy and simplicity of split system technology with the flexibility of ducted air distribution. The compressor, evaporator and condenser units are combined into a fully integrated package which can supply efficient cooling or heating, all through conventional ducting and air grilles located throughout the building.

- > Supplied factory assembled, piped, internally wired and charged with refrigerant
- > High efficiency operation
- > Flexibility of supply air delivery






















Technical Information >>

PRH-P-MYA - UN	NITS		
MODEL REFERENCE		PRH-PI0MYA	PRH-P20MYA
CAPACITY (kW)	Heating (nominal)	30.5	61.0
	Cooling (nominal)	26.0	52.0
	Heating (UK)	25.95	51.85
	Cooling (UK)	24.2	48.4
SHF (nominal)		0.81	0.81
AIRFLOW (m3/min)	Indoor Side	90	180
	Outdoor Side	185	185 x 2
EXTERNAL STATIC PRESSURE (Pa) Lo-Hi		100	200
NOISE (dBA)		60	63
DIMENSIONS (mm)	Width	2000	2000
	Depth	926	2130
	Height	1715	1735
WEIGHT (kg)		412	872
ELECTRICAL SUPPLY		380-415v, 50Hz	380-415v, 50Hz
PHASE		3	3
POWER INPUT (kW)	Heating/Cooling (nominal)	9.82 / 10.22	19.24 / 21.44
	Heating/Cooling (UK)	8.74 / 8.69	17.12 / 18.22
STARTING CURENT (A)		134	155
RUNNING CURRENT (A	A) Heating/Cooling	18.2 / 18.8	35.4 / 36.6
FUSE RATING (BS88) – HRC (A)		40	63
MAINS CABLE No. Cores		5	5
Charge R407c (kg)		8.2	8.2 × 2


UNIT PRH-PIOMYA









UNIT PRH-P20MYA







This pdf has been downloaded from the website of:

"Supplying and installing the latest in air conditioning technology"



Celsius Air Conditioning Ltd, I Well Street, Heywood, Greater Manchester OL10 INT

(a) 01706 367 500 (b) 07000 CELSIUS (c) 01706 367 355 (c) sales@celsiusair.co.uk (c) www.celsiusair.co.uk

www.celsiusair.co.uk